


Speed


DESIGNED FOR EFFICIENCY

zumex[®]
LIFE ESSENCE



A new way of consuming freshly squeezed juice

The demand for freshly squeezed juice is increasing by 5% every year.



46%
Orange juice at the forefront of world consumption



54%
Other juice flavours on the market

Source: Tetra Pak Juice Index Report

Join the Healthy Food Concept

The juicing world has changed. The objective of our Speed juicers is to be ready to cater for market demands.

Select the model best suited to the needs of your café, hotel or supermarket and give your customers the best choice.



Rotational system

The rind does not come into contact with the juice

High-quality, great flavoured juice thanks to our Original System® with its antibacterial technology. Hygiene guaranteed.



Speed Classic
Speed Pro Basic
Speed Pro Cooler Podium



Speed Up
Speed Up
Speed Up All-in-One




Speed S+plus
Speed S+plus
Speed S+plus All-in-One
Speed S+plus Tank All-in-One

NEW
Speed **Up**



Original System®
with tecnología ASP®



Original System® with ASP®
and 1Step Extraction Kit



Drain&Clean
system

Automatic PulpOut
system



Automatic PulpOut
system



Up tap
Polymer tap
with bottle holder
available in 3 sizes:
34,4 mm | 36 mm | 38 mm



2Services tap
Stainless steel tap with
front push-button and bottle
holder available in 3 sizes:
34,4 mm | 36 mm | 38 mm



Drip tray
with direct drain to
the waste bucket.
Black Podiums.



Two-position drip tray
with direct drain to
the waste bucket.
Mirror Podiums.

Speed **S +plus**

1 Select
your juicer:
Speed Up
o Speed **S +plus**

Discover the new range of options
the Speed range can offer you.

2 Configure the
solution that
best suits
your space

Wide or narrow podium.
Black or stainless steel finish.


Add an elegant and sophisticated or
a robust and daring style to your juice
corner and choose depending on the
shelf space you have available.



Black
Dare to go with the
sleekest look.



Drip tray



Mirror
Choose the elegance of
the shiniest finish.



Two-position drip tray,
for glasses and bottles

Narrow

**70 cm
wide**



Capacity 45 kg
300 oranges



1 Trolley
55 L - 25 kg



Direct drain to
waste bucket.



Width | Depth | Height
710 x 626 x 787 mm

Optimise every m² of your
premises. Narrower podium.

Wide

**80 cm
wide**



Capacity 70 kg
500 oranges



2 Trolleys
100 L - 40 kg



Direct drain to
waste bucket.



Width | Depth | Height
810 x 626 x 787 mm

Give your juicer an
impressive presence.

NEW

Speed Up

The freshest results with the coolest style

Speed Up adapts to demand with maximum speed and autonomy.



Speed Up

20 kg
BASKET

Deep Black
COLOUR

Digital
INTELLIGENT TOUCH

Original
System®
WITH ASP®

 The quietest



Up tap
With bottle holder.
Easy disassembly
and cleaning.







Podiums
Two sizes, two styles.
Choose podium size
and finish.

Amaze with
more flavours and
no complications.
Kit S y Kit L



Automatic PulpOut system
Always hygienic. Automatic pulp
conveyor belt with 2 user modes and
Auto-clean function.

-  Wide
-  Narrow
-  Black
-  Mirror

Speed Up All-in-One



Podium Wide Black

Create your juice
corner with the
All-in-One model.

Speed S^{+plus}

The Speed S^{+plus} models are created to deal with extremely high juice demands.

The most comprehensive model from the fastest, most robust range.

NEW 1Step Extraction Kit

Remove the juicing system quickly and easily in just one step.

The juicing system can be washed in one piece, in the dishwasher or under the tap.




20 kg
BASKET



Drain&Clean
SYSTEM

Original
System®
WITH ASP® AND
1STEP EXTRACTION KIT



The
quietest



Digital
INTELLIGENT TOUCH

2Services
TAP



Automatic PulpOut
system

See all the
Kits in Accessories.



Tap with bottle holder

Speed S^{+plus}
Tank All-in-One

Speed S^{+plus}
All-in-One

Speed S^{+plus}



Speed Classic

The essence of Speed can still be found in its most classic models. Basic features always with the best freshly squeezed juice.

These are the classic juicers.



Speed Pro Cooler Podium


Speed Pro Basic



Quality and hygiene assurance

Speed holds the most demanding international certificates for hygienic performance and cleanability, **helping you to obtain HACCP certification.**

Choose your Podium according to your space and style.



Speed Pro Basic

A simple model for your convenience.



Speed Pro Cooler Podium

Freshly squeezed juice chilled thanks to its 7-litre container with adjustable cooler.

Speed Accessories

Create the best version of your juicer

1STEP EXTRACTION KIT



1Step Extraction Kit

For faster and cleaner removal of the juicing system.

- 1Step S Extraction Kit**
Limes · Lemons · Oranges
45-67 mm
- 1Step M Extraction Kit**
Lemons · Oranges · Grapefruits
65-81 mm
- 1Step L Extraction Kit**
Lemons · Oranges · Grapefruits
75-95 mm

Extraction Kit with S, M or L juicing system. With this accessory you can remove the juicing system in just 10 seconds leaving your machine ready to continue working with another Kit.

Speed **S** +plus

CLASSIC JUICING KITS



S Kit

For smaller fruits

Suitable for processing limes, lemons, mandarins or small oranges, from 45 mm to 67 mm.

Speed **Classic**

Speed **Up**



L Kit

For larger fruits

Suitable for processing large oranges and grapefruits, from 75 mm to 95 mm.

Speed **Classic**

Speed **Up**

JUICE CORNER



Display cabinets

Chill your juices!

So that your bottles of freshly squeezed juice are always chilled and ready to take away.

Bottle rack unit ^N

Organised and at your fingertips

Unit complete with bottle hangers and storage space.

Includes napkin dispenser.



Bottle rack

For self-service contexts

Organise your bottles or glasses in a visible and tidy way.



Take-away bottles

Zumex Pack

1.5 l, 1 l, 75 cl, 50 cl, 33 cl y 25 cl with customisable labels.

Zumex Pack recycled PET ^N

1 l, 50 cl, 33 cl y 25 cl with customisable labels.

+ ACCESSORIES



Dynamic Cutting System DCS

For juicing soft or very ripe fruit.



Countertop Kit

Integrates bar counter waste management by depositing waste directly into the waste bucket.



2Position tray

Easy to operate for both glasses and bottles.

Accessory for Black Podium.

PROTECTION AND HYGIENE ACCESSORIES

Limit access to the operation of your Speed and make self-service a safer and more hygienic place.



Closed basket* ^N

*This accessory only includes the upper part of the basket.



Elbow feeder cover ^N



Kit Pulp Cover ^N



Speed display cover* ^N

*Coming soon.

Discover Speed
in detail

Robust on the outside.
Fast on the inside.



Speed Pro
Basic



Speed Pro
Cooler Podium



Speed Up



Speed Up
All-in-One



Speed S ^{+plus}



Speed S ^{+plus}
All-in-One



Speed S ^{+plus}
Tank All-in-One

Dimensions Width Depth Height	593 x 584 x 980 mm 23.3" x 23" x 38.6"	675 x 727 x 1837 mm 26.6" x 28.7" x 72.3"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	<div>1</div> <div>Narrow Black</div> 710 x 682 x 1775 mm 28" x 26.8" x 69.9"	593 x 665 x 1050 mm 23.3" x 26.2" x 41.3	<div>2</div> <div>Narrow Mirror</div> 700 x709 x 1774 mm 27.5" x 27.9" x 69.8"	675 x699 x 1755 mm 26.6" x 26.3" x 69.1"
				<div>Wide Black</div> 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"		<div>Wide Mirror</div> 805 x709 x 1774 mm 31.7" x 27.9" x 69.8"	
Net weight	66.3 kg 146.1 lb	116.1 kg 259.6 lb	76.7 kg 169.2 lb	<div>*Narrow Black</div> 129.1 kg 284.7 lb <div>Wide Black</div> 133 kg 293.3 lb	83.5 kg 184.1 lb	<div>*Narrow Mirror</div> 111.8 kg 246.5 lb <div>Wide Mirror</div> 120.6 kg 266 lb	110.1 kg 242.8 lb
Drain&Clean System							
Original System® with ASP® 1Step Extraction Kit							
Compatible juicing kits	Kit S, M and L	Kit S, M and L	Kit S, M and L	Kit S, M and L	Kit 1Step S, M and L	Kit 1Step S, M and L	Kit 1Step S, M and L
Automatic PulpOut system							
Tap							
Bottle holder							
Drip tray						 2 positions	

1 Measurements for the Mirror model are the same as the **Speed S ^{+plus} All-in-One**.

2 Measurements for the Black model are the same as the **Speed Up All-in-One**.

*Net weight may vary depending on the Podium model selected for each juicer.

Technical Features	
Fruits per minute	40 oranges / min
Litres per minute	2.5 - 4.5 l / min
Fruit size	65-81 mm
Feeder capacity	20 Kg 44 lb
Protection against moisture	IPX4

Power	300 W 0.4 HP (560 W 0.75 HP Cooler)
Consumption	2.7 A (4.85 A Cooler) / 1.2 A (2.4 A Cooler)
Voltage	120 V 60 Hz / 220-240 V 50-60Hz
Security	Triple safety detector and motor seizure detection
Juicing system	Original System® and ASP® antibacterial system

Ask
our team
which
Speed model
is best
suited to
your needs.



Zumex Group, S.A. Headquarters

Polígono Ind. Moncada III
C/ Moli, 2 46113 Moncada, Valencia, Spain
Tel. +34 961 301 251 Fax.+34 961 301 255
zumex@zumex.com

Zumex USA Inc. USA & Canada

1573 NW 82nd Ave, Miami, FL 33126 USA
Tel. +1 305 591 0061 Fax. +1 305 591 0062
Technical Assistance:
1-877-ZUMEX-TA (+1 877 986 3982)
zumexusa@zumex.com

Zumex México

Uxmal 616, Colonia Vértiz Narvarte
Delegación Benito Juárez
CP 03600 Ciudad de México, México
Tel. +52 (55) 5212-0619
zumexmexico@zumex.com

Zumex UK

3 More London Riverside
SE1 2RE London, United Kingdom
Tel: +44 20 3519 1292
zumexuk@zumex.com

Zumex France

45 rue de Villeneuve
94573 Rungis Cedex, Paris, France
Tel: +33 975 187 354
zumexfrance@zumex.com

Zumex Deutschland GmbH

Elisabethstraße 11
40217 Düsseldorf - Deutschland
Tel: +49 211 418 73351
zumexdeutschland@zumex.com

Discover the entire Speed
range on our website

zumex.com



En

08937